# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 2/28/2019 Revision date: 3/21/2023 Supersedes version of: 8/1/2019 Version: 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

 Product name
 : Opium #EU27915F

 UFI
 : PN9G-Y2E0-P005-8JVV

Product code : EU27915F

Type of product : Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### **UAB MANFIRA**

Eišiškių pl.127, LT-02184 Vilnius Lithuania

Tel.: +370 60488141

info@craftshop.lt - www.craftshop.lt

## 1.4. Emergency telephone number

Emergency number : 112

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317
Carcinogenicity, Category 1B H350
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

May cause cancer. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

# 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07





GHS08

Signal word (CLP) : Danger

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Lemon oil , Linalool, Linalyl acetate, Lavandin abrialis oil, Cedramber, Nutmeg Oil, Anise oil

(Spanish), Cedarwood, Atlas, Vetiver oil, Trimofix O, Rosemary Oil, Hexyl salicylate,

Estragole (Methyl chavicol), Tangerine oil, Sage oil, spanish

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H350 - May cause cancer.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0.9 – 1.75	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8;616-925-3	0.8 – 1.65	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.8 – 1.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.7 – 1.45	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.7 – 1.4	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.6 – 1.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lavandin oil	CAS-No.: 8022-15-9 EC-No.: 617-009-6	0.4 – 0.8	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Cedramber	CAS-No.: 19870-74-7 EC-No.: 243-384-7	0.3 – 0.65	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Nutmeg Oil	CAS-No.: 8008-45-5 EC-No.: 282-013-3;616-921-1	0.2 – 0.4	Flam. Liq. 3, H226 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.21699 – 0.36165	Not classified
Anise oil (Spanish)	CAS-No.: 8007-70-3 EC-No.: 616-914-3	0.2 – 0.3	Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Chronic 3, H412
Cedrus Atlantica Oil	CAS-No.: 8023-85-6 EC-No.: 295-985-9	0.2 – 0.3	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Vetiveria zizanoides root oil	CAS-No.: 8016-96-4 EC-No.: 616-993-4 REACH-no: 01-2120119716- 55	0.1 – 0.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Trimofix O	CAS-No.: 144020-22-4 EC-No.: 482-330-9	0.1 – 0.15	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Rosemary Oil	CAS-No.: 8000-25-7 EC-No.: 283-291-9	0.1 – 0.15	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.1 – 0.1488	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Estragole (Methyl chavicol)	CAS-No.: 140-67-0 EC-No.: 205-427-8 REACH-no: 01-2120783278- 41	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Muta. 2, H341 Carc. 2, H351

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tangerine oil	CAS-No.: 8016-85-1 EC-No.: 297-672-2	0.1 – 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Sage oil, spanish	CAS-No.: 90106-49-3 EC-No.: 290-272-9	0.1 – 0.1	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	≤ 0.015	Flam. Liq. 3, H226
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	≤ 0.0124	Not classified
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	≤ 0.001	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures

: Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information

: Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal

#### 7.3. Specific end use(s)

No additional information available

3/21/2023 (Revision date) EN (English) 5/22

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

8.1.1 National occupational exposure and biological limit values		
Carbitol (111-90-0)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	35 mg/m³	
MAK (OEL TWA) [ppm]	6 ppm	
MAK (OEL STEL)	140 mg/m³	
MAK (OEL STEL) [ppm]	24 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	50.1 mg/m³	
OEL TWA [ppm]	10 ppm	
OEL chemical category	Skin notation	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Slovenia - Occupational Exposure Limits		
OEL TWA	35 mg/m³	
OEL TWA [ppm]	6 ppm	
OEL STEL	70 mg/m³	
OEL STEL [ppm]	12 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	80 mg/m³	
NGV (OEL TWA) [ppm]	15 ppm	
KTV (OEL STEL)	170 mg/m³	
KTV (OEL STEL) [ppm]	30 ppm	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	50 mg/m³ (aerosol, inhalable dust, vapour)	
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)	
.betaPinene (127-91-3)		
Belgium - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³	
OEL TWA [ppm]	25 ppm	
OEL STEL	300 mg/m³	
OEL STEL [ppm]	50 ppm	

# Safety Data Sheet

.betaPinene (127-91-3)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m³	
TPRV (OEL STEL) [ppm]	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	113 mg/m³	
VLA-ED (OEL TWA) [2]	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m³	
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
.alphaPinene (80-56-8)		
Belgium - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³	
OEL TWA [ppm]	25 ppm	
OEL STEL	300 mg/m³	
OEL STEL [ppm]	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m³	
TPRV (OEL STEL) [ppm]	50 ppm	

# Safety Data Sheet

Portugal - Occupational Exposure Limits         20 ppm (Turpentine and selected Monoterpenes)           OEL TWA (ppm)         20 ppm (Turpentine and selected Monoterpenes)           Spain - Occupational Exposure Limits           VILA-ED (DEL TWA) [1]         113 mg/m²           VILA-ED (DEL TWA) [2]         20 ppm           OEL chemical category         Sealizar           Worden - Occupational Exposure Limits         VILA-ED (DEL TWA) [2]           NGV (DEL TWA)         150 mg/m²           NGV (DEL TWA) [3]         25 ppm           NFV (DEL STEL)         300 mg/m²           KTV (DEL STEL) [3ppm]         50 ppm           OEL chemical category         Sensitizar           Norway - Occupational Exposure Limits         Censeaverid (DEL TWA) [1]         140 mg/m²           Geneaeverid (DEL TWA) [1]         140 mg/m²         Censeaverid (DEL TWA) [2]         25 ppm           Kortidoverid (DEL STEL) [ppm]         37.5 ppm (value calculated)         Censeaverid (DEL STEL) [ppm]         37.5 ppm (value calculated)           Kortidoverid (DEL STEL) [ppm]         37.5 ppm (value calculated)         Cell chemical category         Not Classifiable as a Human Carcinogen, dermal sensitizer           Diproprione glycol monomethyl other (34580-94-8)         EU - Indicative Occupational Exposure Limit (Indicative Occupational Exposure Limit (Indicative Occupational Exposure Limit (Indicative Oc	.alphaPinene (80-56-8)		
OEL chemical category Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 113 mg/m² VLA-ED (OEL TWA) [2] 20 ppm OEL chemical category Sensitizer  Sweden - Occupational Exposure Limits  NGV (OEL TWA) Spain S	Portugal - Occupational Exposure Limits		
Spain - Occupational Exposure Limits   113 mg/m²   1	OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
VLA-ED (OEL TWA) [1]         113 mg/m²           VLA-ED (OEL TWA) [2]         20 ppm           OEL chemical category         Sensitizer           Sweden - Occupational Exposure Limits         150 mg/m²           NGV (OEL TWA)         150 mg/m²           NGV (OEL TWA)         300 mg/m³           KTV (OEL STEL)         300 mg/m³           KTV (OEL STEL) [ppm]         50 ppm           OEL chemical category         Sensitizer           Norway - Occupational Exposure Limits         To mg/m³           Grenseverdi (OEL TWA) [1]         140 mg/m³           Grenseverdi (OEL TWA) [2]         25 ppm           Kortidsverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           Kortidsverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           COEL chemical category         Skin notation           USA - A CGIH - Occupational Exposure Limits         Value Calculated Monolurpenes)           ACGIH - Occupational Exposure Limit (IOEL TWA) [2]         20 ppm (Turpentine and selected monolurpenes)           ACGIH - Occupational Exposure Limit (IOEL TWA) [2]         30 ppm (Turpentine and selected monolurpenes)           ACGIH - Occupational Exposure Limit (IOEL TWA) [2]         50 ppm (Turpentine and selected monolurpenes)           DICE TWA [2]         308 mg/m³           OEL TWA [2]         50	OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen	
VLA-ED (OEL TWA) [2]         20 ppm           OEL chemical category         Sensitizer           Sweden - Occupational Exposure Limits         150 mg/m²           NGV (OEL TWA) [ppm]         25 ppm           KTV (OEL STEL) [ppm]         50 ppm           KTV (OEL STEL) [ppm]         50 ppm           OEL chemical category         Sensitizer           Norway - Occupational Exposure Limits         Ferneseverdi (OEL TWA) [1]           Grenseverdi (OEL TWA) [2]         25 ppm           Kortidsverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           Kortidsverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           Kortidsverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           OEL chemical category         Skin notation           USA - ACGIH - Occupational Exposure Limits         Not Classifiable as a Human Carcinogen, dermal sensitizer           Dipropylene glycol monomethyl ether (34590-94-8)         EU - Indicative Occupational Exposure Limit (IOEL)           IOEL TWA         308 mg/m²           IOEL TWA [ppm]         309 ppm           Remark         Possibility of significant uptake through the skin           Austria - Occupational Exposure Limits           MAK (OEL TWA) [ppm]         307 mg/m² (mixed isomers)           MAK (OEL STEL) [ppm]         50 ppm (mixed isomers)<	Spain - Occupational Exposure Limits		
OEL chemical category Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 150 mg/m³ NGV (OEL TWA) [ppm] 25 ppm NTV (OEL STEL) [ppm] So ppm OEL chemical category Sensitizer Norway - Occupational Exposure Limits  Genesword (OEL TWA) [1] 140 mg/m² Genesword (OEL TWA) [2] 25 ppm Kortidsword (OEL STEL) [ppm] 37.5 ppm (value calculated) Kortidsword (OEL STEL) [ppm] 37.5 ppm (value calculated) CEL chemical category Skin notation USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer  Dipropylene glycol monomethyl ether (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) IOEL TWA [ppm] 308 mg/m³ IOEL TWA [ppm] 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits  MAK (OEL TWA) [ppm] 50 ppm MAK (OEL TWA) [ppm] 50 ppm (mixed isomers) MAK (OEL STEL) [ppm] 50 ppm (mixed isomers) MAK (DEL STEL) [ppm] 50 ppm (mixed isomers)	VLA-ED (OEL TWA) [1]	113 mg/m³	
Sweden - Occupational Exposure Limits           NGV (OEL TWA)         150 mg/m²           NGV (OEL TWA) (ppm)         25 ppm           KTV (OEL STEL) (ppm)         50 ppm           CEL chemical category         Sensitizer           Norway - Occupational Exposure Limits           Grenseverdi (OEL TWA) [1]         140 mg/m²           Grenseverdi (OEL TWA) [2]         25 ppm           Korttdseverdi (OEL STEL) (ppm)         37.5 ppm (value calculated)           Korttdseverdi (OEL STEL) (ppm)         37.5 ppm (value calculated)           Korttdseverdi (OEL STEL) (ppm)         37.5 ppm (value calculated)           MSA - ACGH - Occupational Exposure Limits         ACGH OEL TWA (ppm)           ACGH OEL TWA (ppm)         20 ppm (Turpentine and selected monoterpenes)           ACGH CH TWA (ppm)         20 ppm (Turpentine and selected monoterpenes)           ACGH CH TWA (ppm)         308 mg/m²           Dipropylene glycol monomethyl ether (34590-94-8)         EU - Indicative Occupational Exposure Limit (IOEL)           IOEL TWA (ppm)         50 ppm           Remark         Possibility of significant uptake through the skin           Austria - Occupational Exposure Limits           MAK (OEL TWA)         307 mg/m² (mixed isomers)           MAK (OEL STEL) (ppm)         50 ppm (mixed isomers)	VLA-ED (OEL TWA) [2]	20 ppm	
NGV (OEL TWA)         150 mg/m²           NGV (OEL TWA) (ppm]         25 ppm           KTV (OEL STEL)         300 mg/m²           KTV (OEL STEL) (ppm]         50 ppm           OEL chemical category         Sensitzer           Norway - Occupational Exposure Limits           Grenseverdi (OEL TWA) [1]         140 mg/m²           Grenseverdi (OEL TWA) [2]         25 ppm           Kortidsverdi (OEL STEL)         175 mg/m² (value calculated)           Kortidsverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           OEL chemical category         Skin notation           USA - ACGIH - Occupational Exposure Limits           ACGIH Chemical category         Not Classifiable as a Human Carcinogen, demal sensitizer           Dipropylene glycol monomethyl ether (34599-94-8)           EU - Indicative Occupational Exposure Limit (iOEL TWA)           Dipropylene glycol monomethyl ether (34599-94-8)           EU - Indicative Occupational Exposure Limit (iOEL TWA)           No ppm           Remark         90 spm           No ppm           Remark         Possibility of significant uptake through the skin           Austria - Occupational Exposure Limits           MAK (OE	OEL chemical category	Sensitizer	
NGV (OEL TWA) (ppm]         25 ppm           KTV (OEL STEL)         300 mg/m³           KTV (OEL STEL) (ppm]         50 ppm           OEL chemical category         Sensitizer           Norway - Occupational Exposure Limits           Grenseverdi (OEL TWA) [1]         140 mg/m³           Grenseverdi (OEL TWA) [2]         25 ppm           Korttidsverdi (OEL STEL)         175 mg/m² (value calculated)           Korttidsverdi (OEL STEL) (ppm]         37.5 ppm (value calculated)           OEL chemical category         Skin notation           USA - ACGIH - Occupational Exposure Limits           ACGIH OEL TWA (ppm]           ACGIH OEL TWA (ppm]         20 ppm (Turpentine and selected monoterpenes)           ACGIH chemical category         Not Classifiable as a Human Carcinogen, dermal sensitizer           Dipropylene glycol monomethyl ether (34590-94-8)           EU - Indicative Occupational Exposure Limit (IOEL)           OEL TWA (ppm]         50 ppm           Remark         Possibility of significant uptake through the skin           Austria - Occupational Exposure Limits           MAK (OEL TWA) (ppm]         50 ppm (mixed isomers)           MAK (OEL STEL) (ppm]         50 ppm (isomers mixtures)           OEL chemical cat	Sweden - Occupational Exposure Limits		
KTV (OEL STEL) [ppm]         300 mg/m³           KTV (OEL STEL) [ppm]         50 ppm           OEL chemical category         Sensitizer           Norway - Occupational Exposure Limits           Grenseverdi (OEL TWA) [1]         140 mg/m³           Grenseverdi (OEL TWA) [2]         25 ppm           Kortidosverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           Kortidosverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           CEL chemical category         Skin notation           USA - ACGIH - Occupational Exposure Limits           ACGIH OEL TWA [ppm]         20 ppm (Turpentine and selected monoterpenes)           ACGIH Occupational Exposure Limits           ACGIH Occupational Exposure Limit (IOEL)           Dipropylene glycol monomethyl other (34590-94-8)           EU - Indicative Occupational Exposure Limit (IOEL)           OEL TWA         308 mg/m³           IOEL TWA [ppm]         50 ppm           Remark         Possibility of significant uptake through the skin           Auxiria - Occupational Exposure Limits           MAK (OEL TWA) [ppm]         50 ppm (mixed isomers)           MAK (OEL TWA) [ppm]         60 ppm (isomers mixtures)			

# Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
OEL TWA [ppm]	50 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	308 mg/m³	
GVI (OEL TWA) [2]	50 ppm	
OEL chemical category	Skin notation	
Cyprus - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	270 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	309 mg/m³	
OEL TWA [2]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	310 mg/m³	
HTP (OEL TWA) [2]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
France - Occupational Exposure Limits		
VME (OEL TWA)	308 mg/m³ (restrictive limit)	
VME (OEL TWA) [ppm]	50 ppm (restrictive limit)	
OEL chemical category	Risk of cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	310 mg/m³ (isomer mixture)	
AGW (OEL TWA) [2]	50 ppm (isomer mixture)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin notation	
Greece - Occupational Exposure Limits		
OEL TWA	600 mg/m³	
OEL TWA [ppm]	100 ppm	
OEL STEL	900 mg/m³	

# Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
OEL STEL [ppm]	150 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	308 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	308 mg/m³ ((2-Methoxymethylethoxy)propanol)	
OEL TWA [2]	50 ppm ((2-Methoxymethylethoxy)propanol)	
OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL STEL [ppm]	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL chemical category	Potential for cutaneous absorption	
Italy - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Latvia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	skin - potential for cutaneous exposure	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	300 mg/m³ (2-(2-Methoxypropoxy)-propanol)	
IPRV (OEL TWA) [ppm]	50 ppm (2-(2-Methoxypropoxy)-propanol)	
TPRV (OEL STEL)	450 mg/m³ (2-(2-Methoxypropoxy)-propanol)	
TPRV (OEL STEL) [ppm]	75 ppm (2-(2-Methoxypropoxy)-propanol)	
OEL chemical category	Skin notation	
Luxembourg - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Malta - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	300 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	
NDSCh (OEL STEL)	480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	

# Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
Portugal - Occupational Exposure Limits		
OEL TWA	308 mg/m³ (indicative limit value)	
OEL TWA [ppm]	50 ppm (indicative limit value)	
OEL STEL [ppm]	150 ppm	
OEL chemical category	skin - potential for cutaneous exposure indicative limit value	
Romania - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin notation	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	308 mg/m³	
NPHV (OEL TWA) [2]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Slovenia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	308 mg/m³	
OEL STEL [ppm]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	308 mg/m³ (indicative limit value)	
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)	
OEL chemical category	skin - potential for cutaneous absorption	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	300 mg/m³	
NGV (OEL TWA) [ppm]	50 ppm	
KTV (OEL STEL)	450 mg/m³	
KTV (OEL STEL) [ppm]	75 ppm	
OEL chemical category	Skin notation	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	308 mg/m³	
WEL TWA (OEL TWA) [2]	50 ppm	
WEL STEL (OEL STEL)	924 mg/m³ (calculated)	
WEL STEL (OEL STEL) [ppm]	150 ppm (calculated)	
WEL chemical category	Potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	300 mg/m³	
Grenseverdi (OEL TWA) [2]	50 ppm	
Korttidsverdi (OEL STEL)	375 mg/m³ (value calculated)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-94-8)		
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	300 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	50 ppm (aerosol, vapour)	
KZGW (OEL STEL)	300 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm]	50 ppm (aerosol, vapour)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	100 ppm	
ACGIH OEL STEL [ppm]	150 ppm	
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses

## 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

# 8.2.2.3. Respiratory protection

## Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

# 8.2.2.4. Thermal hazards

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber.

Odour : characteristic. characteristic.

Odour threshold Not available : Not applicable Melting point Freezing point Not available Boiling point : Not available Flammability : Not applicable **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : 90.9 °C (closed cup) ASTM D7094

Auto-ignition temperature : Not available Not available Decomposition temperature рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : ≈ 0.93 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

# 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

,	Not classified	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg	
Lemon oil (8008-56-8)		
LD50 oral rat	2840 mg/kg	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Hexamethylindanopyran (1222-05-5)		
LD50 oral rat	> 3250 mg/kg	
LD50 dermal rabbit	> 3250 mg/kg	
Sandela (66068-84-6)		
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat	> 5.27 mg/l/4h	
Lavandin oil (8022-15-9)		
LD50 oral rat	> 5 g/kg	
Carbitol (111-90-0)		
LD50 oral rat	10502 mg/kg	
LD50 dermal rabbit	9143 mg/kg	
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h)	
Nutmeg Oil (8008-45-5)		
LD50 oral rat	2620 mg/kg	
LD50 dermal rabbit	> 10 g/kg	
Anise oil (Spanish) (8007-70-3)		
LD50 oral rat	2250 mg/kg	
LD50 oral	2200 mg/kg bodyweight	
Vetiveria zizanoides root oil (8016-96-4)		
LD50 oral rat	> 5 g/kg	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Trimofix O (144020-22-4)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
Rosemary Oil (8000-25-7)	
LD50 oral rat	5 g/kg
Hexyl salicylate (6259-76-3)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 5000 mg/kg
Estragole (Methyl chavicol) (140-67-0)	
LD50 oral rat	1230 mg/kg
LD50 oral	1230 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
	> 5000 mg/kg
.betaPinene (127-91-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
.alphaPinene (80-56-8)	
LD50 oral rat	3700 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg
Dipropylene glycol monomethyl ether (345	90-94-8)
LD50 oral rat	5.35 g/kg
LD50 dermal rabbit	9500 mg/kg
Sage oil, spanish (90106-49-3)	
LC50 Inhalation - Rat (Dust/Mist)	4.7 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Rosemary Oil (8000-25-7)	
STOT-single exposure	May cause damage to organs.
Sage oil, spanish (90106-49-3)	
STOT-single exposure	May cause damage to organs.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

# 11.2. Information on other hazards

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

(GITTOTITO)		
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])	
Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Carbitol (111-90-0)		
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Trimofix O (144020-22-4)		
LC50 - Fish [1]	0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
.alphaPinene (80-56-8)		
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Dipropylene glycol monomethyl ether (34590-94-8)		
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

# 12.2. Persistence and degradability

Estragole (Methyl chavicol) (140-67-0)	
Persistence and degradability	Not established.

# 12.3. Bioaccumulative potential

Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C)		
Hexamethylindanopyran (1222-05-5)		
BCF - Fish [1] (1618 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carbitol (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.8	
Trimofix O (144020-22-4)		
Partition coefficient n-octanol/water (Log Pow)	5.3 – 5.8 (at 25 °C (at pH >=7-<=7.3)	
Hexyl salicylate (6259-76-3)		
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)	
Estragole (Methyl chavicol) (140-67-0)		
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C (at pH 7)	
Bioaccumulative potential	Not established.	
.alphaPinene (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4.1	
Dipropylene glycol monomethyl ether (34590-94-8)		
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)	

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
- HP7 "Carcinogenic:" waste which induces cancer or increases its incidence
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14:** Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)
Transport document descri	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
	9		9	¥2
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	<u> </u>	<u> </u>	<u> </u>

## 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates : 90

3082

Tunnel restriction code (ADR) : -

EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

EU restriction list (	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	Lemon oil; Nutmeg Oil; Rosemary Oil; .beta Pinene; .alphaPinene; Tangerine oil; Sage oil, spanish	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	Opium #EU27915F; Patchouli oil; Lemon oil; Linalool; Linalyl acetate; Sandela; Lavandin oil; Cedramber; Nutmeg Oil; Anise oil (Spanish); Cedrus Atlantica Oil; Vetiveria zizanoides root oil; Trimofix O; Rosemary Oil; Hexyl salicylate; Estragole (Methyl chavicol); Tangerine oil; Sage oil, spanish	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Opium #EU27915F; Patchouli oil; Lemon oil; Hexamethylindanopyran; Sandela; Lavandin oil; Cedramber; Nutmeg Oil; Anise oil (Spanish); Cedrus Atlantica Oil; Vetiveria zizanoides root oil; Trimofix O; Rosemary Oil; Hexyl salicylate; Tangerine oil; Sage oil, spanish	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Lemon oil; Nutmeg Oil; Rosemary Oil; .beta Pinene; .alphaPinene; Tangerine oil; Sage oil, spanish	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must

> be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Lemon oil ,Sandela,Cedarwood, Atlas,Rosemary Oil,Tangerine oil are listed

SZW-lijst van mutagene stoffen : Lemon oil ,Sandela,Cedarwood, Atlas,Rosemary Oil are listed

SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed

**Denmark** 

Class for fire hazard : Class III-1 Store unit 50 liter

Classification remarks Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

**Danish National Regulations** : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

The requirements from the Danish Working Environment Authorities regarding work with

carcinogens must be followed during use and disposal

**Switzerland** 

: LK 6.1 - Toxic materials Storage class (LK)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EU	H-statements:
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.