Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 3/23/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: COCONUT LIME #EU55151F Product name UFI : XG2Y-98W2-900R-J3FU

Product code : EU55151F

Type of product : Perfumes, fragrances Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use.Industrial use

Industrial/Professional use spec : Industrial

> For professional use only : Perfumes, fragrances

Use of the substance/mixture Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

UAB MANFIRA

Eišiškių pl.127, LT-02184 Vilnius Lithuania

Tel.: +370 60488141

info@craftshop.lt - www.craftshop.lt

1.4. Emergency telephone number

Emergency number : 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment - Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07



GHS09

Signal word (CLP)

Contains Litsea cubeba oil, Orange Oil

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---------------------|--|-------------|---|
| GAMMA-OCTALACTONE | CAS-No.: 104-50-7 EC-No.: 203-208-1 REACH-no: 01-2120793635- 41 | 9.6 – 19.24 | Skin Irrit. 2, H315 |
| Benzyl benzoate | CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33 | 7.8 – 15.53 | Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Ethylene brassylate | CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33 | 6.6 – 13.17 | Aquatic Chronic 2, H411 |
| Ethyl maltol | CAS-No.: 4940-11-8 EC-No.: 225-582-5 | 2 – 4 | Acute Tox. 4 (Oral), H302 |
| Litsea cubeba oil | CAS-No.: 68855-99-2 EC-No.: 290-018-7 | 1.5 – 3 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Orange Oil | CAS-No.: 8028-48-6 EC-No.: 232-433-8 | 1.5 – 3 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Ethyl vanillin | CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24 | 0.8 – 1.5 | Eye Irrit. 2, H319 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|------------|---|
| Camphene | CAS-No.: 79-92-5 EC-No.: 201-234-8 | 0.6 – 1.16 | Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Ethyl lactate substance with national workplace exposure limit(s) (FI, LT, SE) | CAS-No.: 97-64-3 EC-No.: 202-598-0 EC Index-No.: 607-129-00-7 | 0 – 0.07 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated

clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

3/23/2023 (Issue date) EN (English) 3/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Other information

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

> soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product. Contaminated work clothing should

not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products Strong bases. Strong acids. Incompatible materials Sources of ignition. Direct sunlight.

25 °C Storage temperature

Storage area Store in a well-ventilated place. Store away from heat.

Special rules on packaging Store in a closed container Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

3/23/2023 (Issue date) EN (English) 4/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Ethyl lactate (97-64-3) | | |
|--|--|--|
| Finland - Occupational Exposure Limits | | |
| HTP (OEL TWA) [1] | 25 mg/m³ | |
| HTP (OEL TWA) [2] | 5 ppm | |
| HTP (OEL STEL) | 49 mg/m³ | |
| HTP (OEL STEL) [ppm] | 10 ppm | |
| Lithuania - Occupational Exposure Limits | | |
| IPRV (OEL TWA) | 25 mg/m³ | |
| IPRV (OEL TWA) [ppm] | 5 ppm | |
| TPRV (OEL STEL) | 50 mg/m³ | |
| TPRV (OEL STEL) [ppm] | 10 ppm | |
| Sweden - Occupational Exposure Limits | | |
| NGV (OEL TWA) | 25 mg/m³ (same limit value expressed in ppm shall be applied for those lactates for which no limit values have been defined) | |
| NGV (OEL TWA) [ppm] | 5 ppm (same limit value expressed in ppm shall be applied for those lactates for which no limit values have been defined) | |
| KTV (OEL STEL) | 50 mg/m³ (same limit value expressed in ppm shall be applied for those lactates for which no limit values have been defined) | |
| KTV (OEL STEL) [ppm] | 10 ppm (same limit value expressed in ppm shall be applied for those lactates for which no limit values have been defined) | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour light yellow. amber. Odour characteristic. Odour threshold : Not available : Not applicable Melting point Freezing point : Not available Boiling point : Not available : Not applicable Flammability **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : 80.1 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available : Not available Density Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

3/23/2023 (Issue date) EN (English) 6/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Acute toxicity (innatation) | Not classified | |
|--------------------------------|-----------------------|--|
| GAMMA-OCTALACTONE (104-50-7) | | |
| LD50 oral rat | 4400 mg/kg | |
| LD50 oral | 4400 mg/kg bodyweight | |
| LD50 dermal rabbit | > 5000 mg/kg | |
| Ethylene brassylate (105-95-3) | | |
| LD50 oral rat | > 5000 mg/kg | |
| LD50 dermal rabbit | > 5000 mg/kg | |
| Ethyl maltol (4940-11-8) | | |
| LD50 oral rat | 1150 mg/kg | |
| LD50 oral | 1200 mg/kg bodyweight | |
| LD50 dermal rabbit | > 5000 mg/kg | |
| Benzyl benzoate (120-51-4) | | |
| LD50 oral rat | 500 mg/kg | |
| LD50 oral | 1500 mg/kg bodyweight | |
| LD50 dermal rabbit | 4000 mg/kg | |
| LD50 dermal | 4000 mg/kg bodyweight | |
| Ethyl vanillin (121-32-4) | | |
| LD50 oral rat | 1590 mg/kg | |
| LD50 oral | 3000 mg/kg bodyweight | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Ethyl vanillin (121-32-4) | | |
|-------------------------------------|--------------------------------------|--|
| LD50 dermal rat | > 2000 mg/kg | |
| Litsea cubeba oil (68855-99-2) | | |
| LD50 oral rat | > 5 g/kg | |
| LD50 dermal | 4800 mg/kg bodyweight | |
| Camphene (79-92-5) | | |
| LD50 oral rat | 5600 mg/kg | |
| LD50 dermal rabbit | > 5000 mg/kg | |
| Orange Oil (8028-48-6) | | |
| LD50 dermal rabbit | > 5000 mg/kg | |
| Ethyl lactate (97-64-3) | | |
| LD50 oral rat | 8200 mg/kg | |
| LD50 oral | 2500 mg/kg bodyweight | |
| LD50 dermal rabbit | > 5 g/kg | |
| | Causes skin irritation. | |
| Serious eye damage/irritation : | Not classified | |
| Respiratory or skin sensitisation : | May cause an allergic skin reaction. | |
| Germ cell mutagenicity : | Not classified | |
| Carcinogenicity : | Not classified | |
| Reproductive toxicity : | Not classified | |
| STOT-single exposure : | Not classified | |
| Ethyl lactate (97-64-3) | | |
| STOT-single exposure | May cause respiratory irritation. | |
| STOT-repeated exposure : | Not classified | |
| Aspiration hazard : | Not classified | |
| Benzyl benzoate (120-51-4) | | |
| Viscosity, kinematic | 7.456 mm ² /s | |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

| Ethyl maltol (4940-11-8) | |
|--------------------------|--|
| LC50 - Fish [1] | > 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Benzyl benzoate (120-51-4) | | |
|----------------------------|--|--|
| LC50 - Fish [1] | 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) | |
| NOEC (chronic) | 0.168 mg/l | |
| Ethyl vanillin (121-32-4) | | |
| LC50 - Fish [1] | 81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) | |
| Camphene (79-92-5) | | |
| LC50 - Fish [1] | 0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [flow-through]) | |
| LC50 - Fish [2] | 150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) | |
| EC50 - Crustacea [1] | 22 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| EC50 72h - Algae [1] | > 1000 mg/l (Species: Desmodesmus subspicatus) | |

12.2. Persistence and degradability

| COCONUT LIME #EU55151F | |
|--|---|
| Persistence and degradability Not established. | |
| Benzyl benzoate (120-51-4) | |
| Persistence and degradability | May cause long-term adverse effects in the environment. |

12.3. Bioaccumulative potential

| COCONUT LIME #EU55151F | | |
|---|-----------------------------|--|
| Bioaccumulative potential | Not established. | |
| GAMMA-OCTALACTONE (104-50-7) | | |
| Partition coefficient n-octanol/water (Log Pow) | 1.89 (at 25 °C (at pH 6.4) | |
| Ethylene brassylate (105-95-3) | | |
| Partition coefficient n-octanol/water (Log Pow) | 4.3 (at 25 °C (at pH 6.4-7) | |
| Ethyl maltol (4940-11-8) | | |
| Partition coefficient n-octanol/water (Log Pow) | 2.9 (at 25 °C) | |
| Benzyl benzoate (120-51-4) | | |
| Partition coefficient n-octanol/water (Log Pow) | 3.97 (at 25 °C) | |
| Bioaccumulative potential | Not established. | |
| Ethyl vanillin (121-32-4) | | |
| Partition coefficient n-octanol/water (Log Pow) | 1.61 (at 25 °C) | |
| Camphene (79-92-5) | | |
| Partition coefficient n-octanol/water (Log Pow) | 4.22 (at 37 °C (at pH 7.2) | |
| Ethyl lactate (97-64-3) | | |
| Partition coefficient n-octanol/water (Log Pow) | 0.7 (at 25 °C (at pH >2-<8) | |
| | | |

12.4. Mobility in soil

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods
Product/Packaging disposal recommendations
Ecology - waste materials
HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
 - HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
 - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|--|--|--|--|
| 14.1. UN number or ID n | umber | | | |
| UN 3082 | UN 3082 | UN 3082 | UN 3082 | UN 3082 |
| 14.2. UN proper shippin | g name | | | |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CAMPHENE) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CAMPHENE) | Environmentally hazardous substance, liquid, n.o.s. (CAMPHENE) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CAMPHENE) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CAMPHENE) |
| Transport document descr | iption | | | |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CAMPHENE), 9, III, (-) | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CAMPHENE), 9, III, MARINE POLLUTANT | UN 3082 Environmentally hazardous substance, liquid, n.o.s. (CAMPHENE), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CAMPHENE), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CAMPHENE), 9, III |
| 14.3. Transport hazard class(es) | | | | |
| 9 | 9 | 9 | 9 | 9 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID | |
|--|--|------------------------------------|------------------------------------|------------------------------------|--|
| ************************************** | ************************************** | 9 | 9 | | |
| 14.4. Packing group | 14.4. Packing group | | | | |
| III | III | III | III | III | |
| 14.5. Environmental haz | 14.5. Environmental hazards | | | | |
| Dangerous for the environment: Yes | Dangerous for the environment: Yes Marine pollutant: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes | |
| No supplementary information available | | | | | |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR)

EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) PP1 IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1, TP29 EmS-No. (Fire) F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) Α

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | | |
|--|---|---|
| Reference code | Applicable on | Entry title or description |
| 3(a) | Orange Oil ; Ethyl lactate | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F |
| 3(b) | COCONUT LIME #EU55151F; GAMMA- OCTALACTONE; Benzyl benzoate; Litsea cubeba oil; Orange Oil; Ethyl lactate | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| EU restriction list (REACH Annex XVII) | | | |
|--|---|--|--|
| Reference code | Applicable on | Entry title or description | |
| 3(c) | COCONUT LIME #EU55151F; Ethylene brassylate; Benzyl benzoate; Litsea cubeba oil; Orange Oil | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 | |
| 40. | Camphene ; Orange Oil ; Ethyl lactate | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. | |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

| Occupational diseases | | |
|-----------------------|---|--|
| Code | Description | |
| RG 84 | Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide | |

Germany

Water hazard class (WGK) Storage class (LGK, TRGS 510) Joint storage table : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

LGK 10 - Combustible liquids.

.GK 1 LGK 2A LGK 2B LGK 3 LGK 4.1A LGK 4.1B LGK 4.2 LGK 4.3 LGK 5.1A LGK 5.1B LGK 5.2 LGK 6.1B LGK 6.1C LGK 5.1C **LGK 6.1A** LGK 6.1D LGK 6.2 LGK 7 LGK 8A LGK 8B LGK 12 LGK 10 LGK 11 LGK 13 LGK 10-13

Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for : LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7.

LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2.

: LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Orange Oil is listed SZW-lijst van mutagene stoffen : Orange Oil is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

| Full text of H- and EUH-statements: | | |
|-------------------------------------|---|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 | |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 | |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 | |
| Asp. Tox. 1 | Aspiration hazard, Category 1 | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Flam. Liq. 3 | Flammable liquids, Category 3 | |
| Flam. Sol. 2 | Flammable solids, Category 2 | |
| H226 | Flammable liquid and vapour. | |
| H228 | Flammable solid. | |
| H302 | Harmful if swallowed. | |
| H304 | May be fatal if swallowed and enters airways. | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H335 | May cause respiratory irritation. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| H411 | Toxic to aquatic life with long lasting effects. | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
| Skin Sens. 1 | Skin sensitisation, Category 1 | |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation | |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.